Author Index of Volume 185

Abrams, M. J., 7
Angaroni, M., 63
Anzuela, E., 211
Ardizzoia, G. A., 63
Armstrong, D. R., 163

Barash, C., 3
Barr, D., 163
Barrau, J., 1
Belsky, V. K., 143
Bereman, R. D., 169
Bertolasi, V., 201
Bocelli, G., 229
Bois, C., 25
Bustos, C., 25

Cabeza, J. A., 187
Carrillo, D., 25
Casado, C. Ma., 33
Casas, J. S., 137
Casellato, U., 137
Cassano, V., 1
Černák, J., 119
Chessa, G., 201
Chung, L.-Y., 93
Coichev, N., 69
Constable, E. C., 93
Cornelissen, J. P., 97
Creyghton, E. J., 97
Cuadrado, I., 33

Das, R., 221
de Graaff, R. A. G., 97
Driessen, W. L., 175
Dunaj-Jurčo, M., 119
Du Shaowu, 181

Feinstein-Jaffe, I., 3
Fernández-Colinas, J. M., 187
Ferretti, V., 201
Foffani, A., 103
Freijanes, E., 137
Fröhlich, R., 175
Furlani, A., 229

García-Granda, S., 187
Garralda, M. A., 211
Gilli, G., 201
Gonzalez, H., 25
Gouzerh, P., 25
Graziani, R., 137
Grim, S. O., 57
Györyová, K., 119

Haanstra, W. G., 175
Haasnoot, J. G., 97
Hambright, P., 17
Hatfield, W. E., 131
Hernández, R., 211
Howell, F. S., 75

Ibarlucea, L., 211
Ichimura, K., 39
Innorta, G., 103

Jeannin, Y., 25

Kakihana, H., 75
Kern, W., 155
Kettler, P. B., 57
Khan, M. S., 93
Kirakosyan, G. A., 143
Kitanaka, Y., 75
Knoch, F., 155
Konovalov, L. V., 143
Konovalov, V. E., 143
Kostromina, N. A., 83
Krebs, B., 175
Kukushkin, V. Yu., 143

La Monica, G., 63
Larsen, S. K., 7
Lewis, J., 93
Long, C. J., 169
Losada, J., 33
Lu Jiaxi, 181

Manzur, C., 25
Marangoni, G., 201
Masciocchi, N., 63
Matijašić, I., 229
Merola, J. S., 57
Moiseev, A. I., 143
Moll, M., 155
Monge, M. A., 211
Moran, M., 33
Moret, M., 63
Morii, H., 39
Mukaida, M., 75

Nag, K., 221
Nagao, H., 75
Nakasuka, N., 49
Nazarenko, A. Y., 83

Ohno, O., 39

Padilla, J., 131
Papaioannou, A., 229
Paul, P., 221
Pinilla, E., 211
Pitteri, B., 201
Pöhlmann, G., 155
Polshin, E. V., 83

Raithby, P. R., 163
Reedijk, J., 97, 175
Ribot, F., 239
Riera, V., 187
Rima, G., 1

Robinson, L. R., 17
Rodger, A., 193

Sabolová, Š., 119
Sakuragi, M., 39
Salgado, B., 137
Sanchez, C., 239
Sánchez González, A., 137
Scarcia, V., 229
Schrebler, R., 25
Sellmann, D., 155
Sgarabotto, P., 229
Shaikh, S. N., 7
Shibayama, M., 75
Shimizu, K., 75
Snaith, R., 163
Sordo, J., 137

Tanaka, M., 49
Tkachuk, V. M., 143
Toledano, P., 239
Torroni, S., 103
Tortorice, D., 169
Tušek-Božić, L., 229

van der Maelen, J. F., 187
van Eldik, R., 69
Venkatsubramanian, K., 221
Voloshin, Y. Z., 83
von Ragué Schleyer, P., 163

Wright, D. S., 163
Wu Jianhui, 181
Wu Xintao, 181

Yamada, Y., 49
Yamaoka, T., 39
Yasuike, M., 39

Zhu Nianyong, 181
Zubieta, J., 7

Elsevier Sequoia/Printed in Switzerland

Subject Index of Volume 185

Alkene complexes
cis-influence determination of ethylene and benzyl cyanide ligands in complexes *cis*-[Pt(Me_2SO)(C_2H_4)Cl_2] and *cis*-[Pt(Me_2SO)($PhCH_2CN$)Cl_2] on basis of X-ray structure data; IR and ^1H, ^{13}C and ^{195}Pt NMR characterization of *cis*-[Pt(Me_2SO)LCl_2] series, 143

Alkoxo complexes
[MoO($NNPh_2$)(acac)$_2$], precursor of novel binuclear hydrazido(2−)Mo(VI) complexes containing bridging alkoxo ligands: [{MoO($NNPh_2$)(acac)(μ-OR)}$_2$]; syntheses, characterization, reactivity and electrochemical studies; crystal structure of [{MoO($NNPh_2$)(acac)(μ-OEt)}$_2$], 25

Amine complexes
electrochemical behavior of oxo complex of Ru(IV), *trans*-[RuCl(O)$(py)_4]^+$, in both non-aqueous and aqueous solvents, 75
Rh(I) complexes with unsymmetric aliphatic diamines; crystal structure of [Rh(C_8H_{12})($C_7N_2H_{16}$)]-[$RhCl_2(C_8H_{12})$] and [Rh(C_8H_{12})($C_7N_2H_{16}$)]ClO_4, 211
synthesis and characterization of square-planar Pt(II) and Pd(II) complexes with pyridine-2,6-dicarboxylic acid (H_2dipic); X-ray crystal structure of *trans*-Na_2[Pt(dipic)$_2$]·$6H_2O$ and K[Pt(dipic)I]·$1/2H_2O$, 201

Aquo complexes
stabilisation of water as ligand in lithiated organic compounds; intra- and inter-molecular H bonding in structures of aquo complexes [$\overline{C_6H_4OC(=S)=NLi}$·HMPA·$H_2O$]$_2$ and [$\overline{C_6H_4OC(=S)=NLi}$·HMPA]$_2$·$H_2O$, 163

Azide complexes
sterically promoted N^2 bound tetrazolate complex formation in 1,3-dipolar cycloaddition of *p*-OMe-C_6H_4CN to coordinated azide in Pd complex [Pd(N-N-S)(N_3)]; X-ray crystal structure of [Pd(N-N-S)(N_4C-*p*-$OMeC_6H_4$], 221

Bidentate ligand complexes
crystal structure and chemical properties of [$\overline{Cu(3,5Me_2\text{-pz-C(S)-S})}(CNR)_2$] (R = cyclohexyl; $3,5Me_2$-pz = 3,5-dimethylpyrazolate), 63
crystal structure and electrical conductivity of *N*-methylquinolinium bis(1,3-dithiole-2-thione-4,5-dithiolato)nickelate(III), 97
preparation, characterization and activity of Pd(II) halide complexes with diethyl 8-quinolylmethylphosphonate (8-dqmp); X-ray crystal structure of [8-dqmpH]$_2$[$PdCl_4$]·$2H_2O$ and [8-dqmpH]$_2$[Pd_2Br_6], 229

Carbonyl complexes
addition of protons and metallic electrophiles to electron-rich Ru–Ru bond of [Ru_2(μ-dan)$(CO)_4$(P^iPr_3)$_2$]; X-ray structure of [Ru_2(μ-AgPPh_3)(μ-dan)$(CO)_4(P^iPr_3)_2$][BF_4]·CH_2Cl_2 (dan = 1,8-diamidonaphthalene), 187
chemical ionization mass spectrometry of $Fe(CO)_2(NO)_2$ and $Co(CO)_3(NO)$; new approach to gas phase reactivity, 103

Carboxylate complexes
X-ray and spectroscopic investigations of structure of Y acetate tetrahydrate, 239

Chelate complexes
coordination compounds of ligand 1,6-bis(3,5-dimethyl-1-pyrazolyl)-2,5-dithiahexane (bddh) with divalent Ni, Co and Zn salts; X-ray crystal structure of Co(bddh)$(NCS)_2$, 175
crystal structure and chemical properties of [$\overline{Cu(3,5Me_2\text{-pz-C(S)-S})}(CNR)_2$] (R = cyclohexyl; $3,5Me_2$-pz = 3,5-dimethylpyrazolate), 63
crystal structure and electrical conductivity of *N*-methylquinolinium bis(1,3-dithiole-2-thione-4,5-dithiolato)nickelate(III), 97
synthesis and structure of η^4-1,5-cyclooctadiene-η^2-tris(diphenylthiophosphinoyl)methanidoiridium(I), (COD)Ir($TrisS_3$), 57

Cluster complexes
synthesis and characterization of novel cubane-like cluster [$(CH_3CH_2)_4N]_4$[{$W_2Cu_2S_4$}$(SCN)_8$], 181

Cobalt complexes
chemical ionization mass spectrometry of $Fe(CO)_2(NO)_2$ and $Co(CO)_3(NO)$; new approach to gas phase reactivity, 103

Conductivity
correlation between π-orbital overlap and conductivity in bis-phthalocyaninato lanthanides, 131

Copper complexes
complexation of thyrotropin-releasing hormone and its related compounds with Cu(II) and Ni(II) ions, 49
crystal structure and chemical properties of [$\overline{Cu(3,5Me_2\text{-pz-C(S)-S})}(CNR)_2$] (R = cyclohexyl; $3,5Me_2$-pz = 3,5-dimethylpyrazolate), 63
preparation, structure and thermal properties of complex [$(CH_3)_2C_6H_5S$][$Cu_2(CN)_3$] with short Cu(I)...Cu(I) distance (2.655(2) Å), 119
syntheses and characterization of Pd(II) and Cu(II) complexes of new 1,1-dithiolate ligand, 1,3-dithiepin-2-carbodithiolate, 169

Crystal structure(s)
of [$(CH_3CH_2)_4N]_4$[{$W_2Cu_2S_4$}$(SCN)_8$], 181
of [$(CH_3)_2C_6H_5S$][$Cu_2(CN)_3$], 119
of [$\overline{C_6H_4OC(=S)=NLi}$·HMPA·$H_2O$]$_2$ and [$C_6H_4OC(=S)=NLi$·HMPA]$_2$·H_2O, 163
of Co(bddh)$(NCS)_2$, 175
of [$\overline{Cu(3,5Me_2\text{-pz-C(S)-S})}(CNR)_2$] (R = cyclohexyl; $3,5Me_2$-pz = 3,5-dimethylpyrazolate), 63
of η^4-1,5-cyclooctadiene-η^2-tris(diphenylthiophosphinoyl)methanidoiridium(I), (COD)Ir($TrisS_3$), 57

of dichloro(1-hydroxymethylpyrazole)dimethyltin(IV), 137
of [8-dqmpH]$_2$[PdCl$_4$]·2H$_2$O and [8-dqmpH]$_2$[Pd$_2$Br$_6$], 229
of *N*-methylquinolinium bis(1,3-dithiole-2-thione-4,5-dithiolato)nickelate(III), 97
of [M(NHNR$_2$)(NO)('S$_4$')] (M = Mo, W; R = H, CH$_3$; 'S$_4$'$^{2-}$ = 1,2-bis(2-mercaptophenylthio)ethane(2−)), 155
of [{MoO(NNPh$_2$)(acac)(μ-OEt)}$_2$], 25
of *trans*-Na$_2$[Pt(dipic)$_2$]·6H$_2$O and K[Pt(dipic)I]·1/2H$_2$O, 201
of [Pd(N-N-S)(N$_4$C-*p*-OMeC$_6$H$_4$], 221
of *cis*-[Pt(Me$_2$SO)(C$_2$H$_4$)Cl$_2$] and *cis*-[Pt(Me$_2$SO)-(PhCH$_2$CN)Cl$_2$], 143
of [Rh(C$_8$H$_{12}$)(C$_7$N$_2$H$_{16}$)][RhCl$_2$(C$_8$H$_{12}$)] and [Rh(C$_8$H$_{12}$)(C$_7$N$_2$H$_{16}$)]ClO$_4$, 211
of [Ru$_2$(μ-AgPPh$_3$)(μ-dan)(CO)$_4$(P^{i}Pr$_3$)$_2$][BF$_4$]·CH$_2$Cl$_2$, 187
of [TcCl$_2$(C$_8$H$_5$N$_4$)(PPh$_3$)$_2$]·0.75C$_7$H$_8$ and [TcNCl$_2$-(PPh$_3$)$_2$]·0.25CH$_2$Cl$_2$, 7
of Y acetate tetrahydrate, 239

Cubane complexes
synthesis and characterization of novel cubane-like cluster [(CH$_3$CH$_2$)$_4$N]$_4$[{W$_2$Cu$_2$S$_4$}(SCN)$_8$], 181

Cyano complexes
preparation, structure and thermal properties of complex [(CH$_3$)$_2$C$_6$H$_5$S][Cu$_2$(CN)$_3$] with short Cu(I)...Cu(I) distance (2.655(2) Å), 119

Dinuclear complexes
addition of protons and metallic electrophiles to electron-rich Ru–Ru bond of [Ru$_2$(μ-dan)-(CO)$_4$(P^{i}Pr$_3$)$_2$]; X-ray structure of [Ru$_2$(μ-Ag-PPh$_3$)(μ-dan)(CO)$_4$(P^{i}Pr$_3$)$_2$][BF$_4$]·CH$_2$Cl$_2$ (dan = 1,8-diamidonaphthalene), 187
[MnO(NNPh$_2$)(acac)$_2$], precursor of novel binuclear hydrazido(2−)Mo(VI) complexes containing bridging alkoxo ligands: [{MoO(NNPh$_2$)(acac)(μ-OR)}$_2$]; syntheses, characterization, reactivity and electrochemical studies; crystal structure of [{MoO(NNPh$_2$)(acac)(μ-OEt)}$_2$], 25

Dithiolato complexes
syntheses and characterization of Pd(II) and Cu(II) complexes of new 1,1-dithiolate ligand, 1,3-dithiepin-2-carbodithiolate, 169

Electrical conductivity
crystal structure and electrical conductivity of *N*-methylquinolinium bis(1,3-dithiole-2-thione-4,5-dithiolato)nickelate(III), 97

Electrochemistry
electrochemical behavior of oxo complex of Ru(IV), *trans*-[RuCl(O)(py)$_4$]$^+$, in both non-aqueous and aqueous solvents, 75
{η^6-phenylmethylsila-14-crown-5}Cr tricarbonyl; synthesis, characterization and electrochemical studies on first example of electroactive ionophore containing silacrown, 33

Germanium complexes
synthesis of new germylated heterocyclic systems with bulky groups, 1

Halide complexes
synthesis and characterization of adducts of dimethyltin(IV) dihalides (Cl, Br) with 1-hydroxymethylpyrazole; crystal and molecular structure of dichloro(1-hydroxymethylpyrazole)dimethyltin(IV), 137

Heterocyclic ligand complexes
synthesis of new germylated heterocyclic systems with bulky groups, 1

Hormone complexes
complexation of thyrotropin-releasing hormone and its related compounds with Cu(II) and Ni(II) ions, 49

Hydrogen bonding
stabilisation of water as ligand in lithiated organic compounds; intra- and inter-molecular H bonding in structures of aquo complexes [C$_6$H$_4$OC(=S)=NLi·HMPA·H$_2$O]$_2$ and [C$_6$H$_4$OC(=S)=NLi·HMPA]$_2$·H$_2$O, 163

Iridium complexes
synthesis and structure of η^4-1,5-cyclooctadiene-η^2-tris(diphenylthiophosphinoyl)methanidoiridium(I), (COD)Ir(TrisS$_3$), 57

Iron complexes
chemical ionization mass spectrometry of Fe(CO)$_2$-(NO)$_2$ and Co(CO)$_3$(NO); new approach to gas phase reactivity, 103
template synthesis, structure and properties of clathrochelate Sn-containing Fe(II) dioximates formed by Sn tetrachloride, 83

Isocyanide complexes
crystal structure and chemical properties of [Cu(3,5Me$_2$-pz-C(S)-S)(CNR)$_2$] (R = cyclohexyl; 3,5Me$_2$-pz = 3,5-dimethylpyrazolate), 63
Pd(II) aryldiisocyanobenzene coordination polymers from Pd(NCCH$_3$)$_2$(BF$_4$)$_2$ precursors, 3

Kinetics and mechanism
complexation of thyrotropin-releasing hormone and its related compounds with Cu(II) and Ni(II) ions, 49
kinetics of Zn(II) incorporation into fifty-five free base porphyrins in DMF; structure–reactivity correlations, 17
mechanistic study of sulfite-induced autoxidation of Mn(II) in aqueous azide medium, 69

Lanthanide complexes
correlation between π-orbital overlap and conductivity in bis-phthalocyaninato lanthanides, 131

Lithium complexes
stabilisation of water as ligand in lithiated organic compounds; intra- and inter-molecular H bonding in structures of aquo complexes [C$_6$H$_4$OC(=S)=NLi·HMPA·H$_2$O]$_2$ and [C$_6$H$_4$OC(=S)=NLi·HMPA]$_2$·H$_2$O, 163

Macrocyclic ligand complexes
{η^6-phenylmethylsila-14-crown-5}Cr tricarbonyl; synthesis, characterization and electrochemical studies on first example of electroactive ionophore containing silacrown, 33

template synthesis, structure and properties of clathrochelate Sn-containing Fe(II) dioximates formed by Sn tetrachloride, 83
V complexes of planar pentadentate macrocyclic ligands, 93
Manganese complexes
mechanistic study of sulfite-induced autoxidation of Mn(II) in aqueous azide medium, 69
Mass spectrometry
chemical ionization mass spectrometry of $Fe(CO)_2(NO)_2$ and $Co(CO)_3(NO)$; new approach to gas phase reactivity, 103
Metal complexes
coordination compounds of ligand 1,6-bis(3,5-dimethyl-1-pyrazolyl)-2,5-dithiahexane (bddh) with divalent Ni, Co and Zn salts; X-ray crystal structure of $Co(bddh)(NCS)_2$, 175
Molybdenum complexes
$[MoO(NNPh_2)(acac)_2]$, precursor of novel binuclear hydrazido(2−)Mo(VI) complexes containing bridging alkoxo ligands: $[\{MoO(NNPh_2)(acac)(\mu\text{-}OR)\}_2]$; syntheses, characterization, reactivity and electrochemical studies; crystal structure of $[\{MoO(NNPh_2)(acac)(\mu\text{-}OEt)\}_2]$, 25
side-on N_2H_3 and N_2HR_2 in metal sulfur complexes $[M(NHNR_2)(NO)('S_4')]$ (M = Mo, W; R = H, CH_3; $'S_4'^{2-}$ = 1,2-bis(2-mercaptophenylthio)ethane(2−)), 155

Nickel complexes
complexation of thyrotropin-releasing hormone and its related compounds with Cu(II) and Ni(II) ions, 49
crystal structure and electrical conductivity of *N*-methylquinolinium bis(1,3-dithiole-2-thione-4,5-dithiolato)nickelate(III), 97
Nitrile complexes
cis-influence determination of ethylene and benzyl cyanide ligands in complexes *cis*-$[Pt(Me_2SO)(C_2H_4)Cl_2]$ and *cis*-$[Pt(Me_2SO)(PhCH_2CN)Cl_2]$ on basis of X-ray structures data; IR and ^1H, ^{13}C and ^{195}Pt NMR characterization of *cis*-$[Pt(Me_2SO)LCl_2]$ series, 143
Nitrosyl complexes
chemical ionization mass spectrometry of $Fe(CO)_2(NO)_2$ and $Co(CO)_3(NO)$; new approach to gas phase reactivity, 103
side-on N_2H_3 and N_2HR_2 in metal sulfur complexes $[M(NHNR_2)(NO)('S_4')]$ (M = Mo, W; R = H, CH_3; $'S_4'^{2-}$ = 1, 2-bis(2-mercaptophenylthio)ethane(2−)), 155

Organohydrazine complexes
Tc–organohydrazine coordination chemistry; crystal and molecular structures of $[TcCl_2(C_8H_5N_4)(PPh_3)_2]\cdot 0.75C_7H_8$ and $[TcNCl_2(PPh_3)_2]\cdot 0.25CH_2Cl_2$, 7
Oxo complexes
electrochemical behavior of oxo complex of Ru(IV), *trans*-$[RuCl(O)(py)_4]^+$, in both non-aqueous and aqueous solvents, 75

Palladium complexes
Pd(II) aryldiisocyanobenzene coordination polymers from $Pd(NCCH_3)_2(BF_4)_2$ precursors, 3
preparation, characterization and activity of Pd(II) halide complexes with diethyl 8-quinolylmethylphosphonate (8-dqmp); X-ray crystal structure of $[8\text{-}dqmpH]_2[PdCl_4]\cdot 2H_2O$ and $[8\text{-}dqmpH]_2[Pd_2Br]$, 229
sterically promoted N^2 bound tetrazolate complex formation in 1,3-dipolar cycloaddition of *p*-OMe-C_6H_4CN to coordinated azide in Pd complex $[Pd(N\text{-}N\text{-}S)(N_3)]$; X-ray crystal structure of $[Pd(N\text{-}N\text{-}S)(N_4C\text{-}p\text{-}OMeC_6H_4)]$, 221
syntheses and characterization of Pd(II) and Cu(II) complexes of new 1,1-dithiolate ligand, 1,3-dithiepin-2-carbodithiolate, 169
synthesis and characterization of square-planar Pt(II) and Pd(II) complexes with pyridine-2,6-dicarboxylic acid (H_2dipic); X-ray crystal structure of *trans*-$Na_2[Pt(dipic)_2]\cdot 6H_2O$ and $K[Pt(dipic)I]\cdot 1/2H_2O$, 201
Phthalocyanine complexes
correlation between π-orbital overlap and conductivity in bis-phthalocyaninato lanthanides, 131
Platinum complexes
cis-influence determination of ethylene and benzyl cyanide ligands in *cis*-$[Pt(Me_2SO)(C_2H_4)Cl_2]$ and *cis*-$[Pt(Me_2SO)(PhCH_2CN)Cl_2]$ on basis of X-ray structure data; IR and ^1H, ^{13}C and ^{195}Pt NMR characterization of *cis*-$[Pt(Me_2SO)LCl_2]$ series, 143
synthesis and characterization of square-planar Pt(II) and Pd(II) complexes with pyridine-2,6-dicarboxylic acid (H_2dipic); X-ray crystal structure of *trans*-$Na_2[Pt(dipic)_2]\cdot 6H_2O$ and $K[Pt(dipic)I]\cdot 1/2H_2O$, 201
Polydentate ligand complexes
coordination compounds of ligand 1,6-bis(3,5-dimethyl-1-pyrazolyl)-2,5-dithiahexane (bddh) with divalent Ni, Co and Zn salts; X-ray crystal structure of $Co(bddh)(NCS)_2$, 175
synthesis and structure of η^4-1,5-cyclooctadiene-η^2-tris(diphenylthiophosphinoyl)methanidoiridium(I), (COD)Ir(TrisS_3), 57
Polymer complexes
Pd(II) aryldiisocyanobenzene coordination polymers from $Pd(NCCH_3)_2(BF_4)_2$ precursors, 3
Porphyrin complexes
kinetics of Zn(II) incorporation into fifty-five free base porphyrins in DMF; structure–reactivity correlations, 17
optical and redox properties of *meso*-diphenyltetrabenzoporphyrins, 39

Rhodium complexes
Rh(I) complexes with unsymmetric aliphatic diamines; crystal structure of $[Rh(C_8H_{12})(C_7N_2H_{16})][RhCl_2(C_8H_{12})]$ and $[Rh(C_8H_{12})(C_7N_2H_{16})]ClO_4$, 211
Ruthenium complexes
addition of protons and metallic electrophiles to electron-rich Ru–Ru bond of $[Ru_2(\mu\text{-}dan)(CO)_4(P^iPr_3)_2]$; X-ray structure of $[Ru_2(\mu\text{-}Ag\text{-}$

$PPh_3)(\mu$-dan)$(CO)_4(P^iPr_3)_2][BF_4]\cdot CH_2Cl_2$ (dan = 1,8-diamidonaphthalene), 187
electrochemical behavior of oxo complex of Ru(IV), *trans*-$[RuCl(O)(py)_4]^+$, in both non-aqueous and aqueous solvents, 75

Silicon complexes
{η^6-phenylmethylsila-14-crown-5}Cr tricarbonyl; synthesis, characterization and electrochemical studies on first example of electroactive ionophore containing silacrown, 33
Silver complexes
addition of protons and metallic electrophiles to electron-rich Ru–Ru bond of $[Ru_2(\mu$-dan)$(CO)_4(P^iPr_3)_2]$; X-ray structure of $[Ru_2(\mu$-Ag$PPh_3)(\mu$-dan)$(CO)_4(P^iPr_3)_2][BF_4]\cdot CH_2Cl_2$ (dan = 1,8-diamidonaphthalene), 187
Sulfite complexes
mechanistic study of sulfite-induced autoxidation of Mn(II) in aqueous azide medium, 69
Sulfur complexes
side-on N_2H_3 and N_2HR_2 in metal sulfur complexes $[M(NHNR_2)(NO)('S_4')]$ (M = Mo, W; R = H, CH_3; 'S_4'$^{2-}$ = 1,2-bis(2-mercaptophenylthio)ethane(2−)), 155
Symmetry template
template symmetry restrictions on reaction mechanisms, 193

Technetium complexes
Tc–organohydrazine coordination chemistry; crystal and molecular structures of $[TcCl_2(C_8H_5N_4)(PPh_3)_2]\cdot 0.75C_7H_8$ and $[TcNCl_2(PPh_3)_2]\cdot 0.25CH_2Cl_2$, 7

Tetrazolate complexes
sterically promoted N^2 bound tetrazolate complex formation in 1,3-dipolar cycloaddition of *p*-OMe-C_6H_4CN to coordinated azide in Pd complex $[Pd(N\text{-}N\text{-}S)(N_3)]$; X-ray crystal structure of $[Pd(N\text{-}N\text{-}S)(N_4C\text{-}p\text{-}OMeC_6H_4]$, 221
Tin complexes
synthesis and characterization of adducts of dimethyltin(IV) dihalides (Cl, Br) with 1-hydroxymethylpyrazole; crystal and molecular structure of dichloro(1-hydroxymethylpyrazole)dimethyltin(IV), 137
template synthesis, structure and properties of clathrochelate Sn-containing Fe(II) dioximates formed by Sn tetrachloride, 83
Transition metal complexes
template symmetry restrictions on reaction mechanisms, 193
Tungsten complexes
synthesis and characterization of novel cubane-like cluster $[(CH_3CH_2)_4N]_4[\{W_2Cu_2S_4\}(SCN)_8]$, 181

Vanadium complexes
V complexes of planar pentadentate macrocyclic ligands, 93

Yttrium complexes
X-ray and spectroscopic investigations of structure of Y acetate tetrahydrate, 239

Zinc complexes
kinetics of Zn(II) incorporation into fifty-five free base porphyrins in DMF; structure–reactivity correlations, 17
optical and redox properties of *meso*-diphenyltetrabenzoporphyrins, 39